

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers Product name Product Number Index-No. REACH No.	: : : : : : : : : : : : : : : : : : : :	Oil of turpentine P4261 650-002-00-6 A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.		
CAS-No.	:	8006-64-2		
1.2 Relevant identified uses of the substance or mixture and uses advised against				
Identified uses	:	Ceramic medium thinners for On-glaze colours and Enamels		
1.3 Details of the supplier of the safety data sheet				
Company	:	Potterycrafts Ltd. Campbell Road, Stoke-on-Trent, Staffordshire, ST4 4ET. UNITED KINGDOM		
Telephone	:	+44 (0)1782 745000		

1.4 Emergency telephone number

Emergency Phone #

E-mail address

Fax

+44 (0)1782 745000 Office Hours

+44 (0)1782 746000

sales@potterycrafts.co.uk

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Skin irritation (Category 2), H315 Eye irritation (Category 2), H319 Skin sensitisation (Category 1), H317 Aspiration hazard (Category 1), H304 Chronic aquatic toxicity (Category 2), H411

÷

1

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

		RIU
Xn	Harmful	R20/21/22, R65
Xi	Irritant	R36/38
		R43
Ν	Dangerous for the environment	R51/53

For the full text of the R-phrases mentioned in this Section, see Section 16.



2.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H226 H302 + H312 + H332 H304 H315 H317 H319	Flammable liquid and vapour. Harmful if swallowed, in contact with skin or if inhaled May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
	H302 + H312 + H332 H304 H315 H317 H319

Precautionary statement(s)

P273 P280	Avoid release to the environment. Wear protective gloves/ protective clothing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
emental Hazard	
nents	none

Supple Statements

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	:	Fir oil
		Pine oil
		Turpentine
		Oil of turpentine
CAS-No.	:	8006-64-2
EC-No.	:	232-350-7
Index-No.	:	650-002-00-6

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration	
Turpentine oil				
CAS-No. EC-No. Index-No	8006-64-2 232-350-7 .650-002-00-6	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1; Asp. Tox. 1; Aquatic Chronic 2; H226, H302 + H312 + H332, H304, H315, H317, H319, H411	<= 100 %	



3.

Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration	
Turpentine oi				
CAS-No.	8006-64-2	Xn, N, R10 - R20/21/22 -	<= 100 %	
EC-No	232-350-7	R36/38 - R43 - R51/53 - R65		
Index No	650-002-00-6			

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture
- Nature of decomposition products not known.

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No	Value	Control	Basis
			parameters	
Turpentine oil	8006-64-2	TWA	100 ppm	UK. EH40 WEL - Workplace
			566 mg/m3	Exposure Limits.
		STEL	150 ppm	UK. EH40 WEL - Workplace
			850 mg/m3	Exposure Limits

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	Form: liquid
	Colour: colourless
b) Odour	pungent

Campbell Road - Stoke on Trent, ST4 4ET - United Kingdom Tel: +44 (0)1782 745000 - Fax: +44 (0)1782 746000 - Web: www.potterycrafts.co.uk ;

POTTERYCRAFTS

s) Explosive propertiest) Oxidizing properties	no data available no data available
temperature r) Viscosity	no data available
temperature q) Decomposition	no data available
o) Partition coefficient:n-octanol/waterp) Auto-ignition	no data available 270°C
n) Water solubility	0.351 g/l at 20 °C
I) Vapour densitym) Relative density	no data available 0.86 g/cm3 at 25 °C
explosive limits k) Vapour pressure	5 hPa at 20 °C
 j) Upper/lower flammability or 	Upper explosion limit: 6 %(V) Lower explosion limit :0.8%(V)
h) Evapouration rate i) Flammability (solid, gas)	no data available no data available
f) Initial boiling point and boiling rangeg) Flash point	153 -175 °C - lit. 36 °C - closed cup
e) Melting point/freezing point	Melting point/range: -55 °C - lit.
c) Odour Threshold d) Ph	no data available no data available

Surface tension

SECTION 10: Stability and reactivity

10.1 Reactivity no data available **10.2 Chemical stability** Stable under recommended storage conditions. 10.3 Possibility of hazardous reactions no data available 10.4 Conditions to avoid Heat, flames and sparks. 10.5 Incompatible materials Strong oxidizing agents 10.6 Hazardous decomposition products Other decomposition products - no data available In the event of fire: see section 5 **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Acute toxicity LD50 Oral - rat - 5,760 mg/kg no data available Inhalation: Dermal: no data available Skin corrosion/irritation

Inhalation: no data available Dermal: no data available Skin corrosion/irritation Skin - rabbit Result: Irritating to skin.(Draize Test) Serious eye damage/eye irritation no data available Respiratory or skin sensitisation no data available Germ cell mutagenicity in vitro assay S. typhimurium Result: negative Campbell Road - Stoke on Trent, ST4 4ET - United Kingdom Tel: +44 (0)1782 745000 - Fax: +44 (0)1782 746000 - Web: www.potterycrafts.co.uk ;

5

54.8 mN/m at 21 °C



Carcinogenicity

Carcinogenicity - mouse - Skin

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Skin and Appendages: Other: Tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

May be fatal if swallowed and enters airways.

Additional Information

RTECS: YO8400000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Exposure to high airborne concentrations can cause anesthetic effects., Nausea, Dizziness, Headache

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	static test LC50 - Danio rerio (zebra fish) - 29 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 6.4 mg/l - 48 h (OECD Test Guideline 202
Toxicity to algae	static test EC50 - Desmodesmus subspicatus (green algae) - 17.1 mg/l - 72 h (OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 71.7 % - Readily biodegradable. (OECD Test Guideline 301F) Remarks: The 10 day time window criterion is not fulfilled.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Toxic to aquatic life with long lasting effects. no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.



SECTION 14: Transport information

14.1 UN number ADR/RID: 1299	IMDG: 1299	IATA: 1299
14.2 UN proper shipping name	IMDG. 1299	IATA. 1299
ADR/RID: TURPENTINE		
IMDG: TURPENTINE		
IATA: Turpentine		
14.3 Transport hazard class(es)		
ADR/RID: 3	IMDG: 3	IATA: 3
14.4 Packaging group		
ADR/RID: III	IMDG: III	IATA: III
14.5 Environmental hazards		
ADR/RID: yes	IMDG Marine pollutant: yes	IATA: no
14.6 Special precautions for user		
no data available		

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture no data available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox	Acute toxicity
Aquatic Chronic	Chronic aquatic toxicity
Asp. Tox.	Aspiration hazard
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H302 + H312 + H332	Harmful if swallowed, in contact with skin or if inhaled
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Full text of R-phrases referred to under sections 2 and 3

N	Dangerous for the environment
Xn	Harmful
R10	Flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R36/38	Irritating to eyes and skin.
R43	May cause sensitisation by skin contact.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.

Revision Date 5th April 2018.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Potterycrafts and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.