

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Sea Magic Stoneware Glaze
Product No. P2566

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Ceramic Glaze

1.3. Details of the supplier of the safety data sheet

Supplier PotteryCrafts Ltd
Campbell Road,
Stoke on Trent,
Staffordshire,
England.
ST4 4ET
Tel 44 (0)1782 745000
sales@potteryCrafts.co.uk

1.4. Emergency telephone number
+44 (0)1782745000 (Office Hours)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

<u>Classification (EC 1272/2008)</u>	Physical and Chemical Hazards	Not classified.
	Human health	Carc. 1A - H350i
	Environment	Aquatic Chronic 3 - H410
<u>Classification (1999/45/EEC)</u>	Carc. Cat. 1;R49. R52/53.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Human health

Contains a substance which may cause cancer by inhalation. The product contains a sensitising substance which may provoke an allergic reaction among sensitive individuals.

Environment

The product contains a substance which is toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

2.2. Label elements

Contains NICKEL MONOXIDE

Label In Accordance With (EC) No. 1272/2008



GHS08

Signal Word Danger

<u>Hazard Statements</u>	H350i H372	May cause cancer by inhalation. Causes damage to organs <<Organs>> through prolonged or repeated exposure
<u>Precautionary Statements</u>	P308+313	IF exposed or concerned: Get medical advice/attention.

Supplementary Precautionary Statements

P202	Do not handle until all safety precautions have been read and understood.
P273	Avoid release to the environment.
P281	Use personal protective equipment as required.
P405	Store locked up.
P501	Dispose of contents/container to ...

Supplemental label information

EUH208	Contains NICKEL MONOXIDE,
RCH002	Restricted to professional users.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS3.2. Mixtures

NICKEL MONOXIDE		>6%
CAS-No.: 1313-99-1	EC No.: 215-215-7	Registration Number: 01-2119467172-41-XXXX
Classification (67/548/EEC) Skin Sens. 1 - H317 Carc. 1A - H350i STOT RE 1 - H372 Aquatic Chronic 4 - H413	Classification (EC 1272/2008) Carc. Cat. 1;R49 T;R48/23 R43 R53	
Frits Chemical group 1		20-35%
CAS-No.: 65997-18-4	EC No : 266-047-6	
Classification EC (1272/2008) Not classified	Classification (67/548/EEC) Not classified	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES4.1. Description of first aid measureInhalation

Fresh air. Get medical attention if any discomfort continues.

Ingestion

Do not induce vomiting. Immediately give a couple of glasses of water or milk, provided the victim is fully conscious.

Skin contact

Wash skin with soap and water.

Eye contact

Rinse with water. Contact physician if discomfort continues.

4.2. Most important symptoms and effects, both acute and delayedInhalation

Frequent inhalation of dust over a long period of time increases the risk of developing lung diseases.

Skin contact

Mild dermatitis, allergic skin rash.

4.3. Indication of any immediate medical attention and special treatment needed**SECTION 5: FIREFIGHTING MEASURES**5.1. Extinguishing mediaExtinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixtureUnusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific hazards

The product is non-combustible. If heated, toxic vapours may be formed.

5.3. Advice for firefightersSpecial Fire Fighting Procedures

No specific fire fighting procedure given.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Avoid spreading dust or contaminated materials. Do not discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel, broom or the like.

6.4. Reference to other sections

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not eat, drink or smoke when using the product. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and animal feeding stuffs. Store in tightly closed original container at a temperature above 0°C.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA – 8 Hrs	STEL – 15 Mins	Notes
Sea Magic Glaze		0.15mg/m ³		
NICKEL MONOXIDE	WEL	0.5mg/m ³		Carc, Sen, Sk, as Ni

Ingredient Comments

8.2. Exposure controls

Protective equipment



Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves.

Eye protection

Wear dust resistant safety goggles where there is danger of eye contact.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Pinky-Beige coloured powder
Odour	Odourless.
Solubility	Insoluble in water
Relative density	1-2
pH-Value, Conc. Solution	7

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

Not relevant

10.4. Conditions to avoid

Not known.

10.5. Incompatible materials

Materials To Avoid

Strong acids.

Not known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information

No data recorded.

Other Health Effects

Carcinogen Category 1.

Inhalation

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Ingestion

No harmful effects expected in amounts likely to be ingested by accident.

Skin contact

Risk of sensitisation or allergic reactions among sensitive individuals.

Eye contact

May cause temporary eye irritation.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product contains substances which are toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

12.1. Toxicity

12.2. Persistence and degradability

Degradability

The product solely consists of inorganic compounds which are not biodegradable.

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Uk Regulatory References

Health and Safety at Work Act 1974.

Statutory Instruments

Campbell Road - Stoke on Trent, ST4 4ET - United Kingdom

Tel: +44 (0)1782 745000 - Fax: +44 (0)1782 746000 - Web: www.potterycrafts.co.uk ;

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

Guidance Notes

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37.

EU Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

National Regulations

Workplace Exposure Limits 2005 (EH40)

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Issued By Product Regulations Dept

Revision Date 10/02/2020

Revision 7

Supersedes date 19/10/2015

SDS No. P0137

Safety Data Sheet Status Approved.

Date 01.06.2004

Risk Phrases In Full

R43 May cause sensitisation by skin contact.
R53 May cause long term effects in the aquatic environment.
R48/23 Toxic: danger of serious damage to health by prolonged exposure through inhalation.

Hazard Statements In Full

H372 Causes damage to organs <<Organs>> through prolonged or repeated exposure.
H413 May cause long lasting harmful effects to aquatic life..
H350i May cause cancer by inhalation.
H317 May cause an allergic skin reaction

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.